

Габаритные, установочные и присоединительные размеры взрывозащищенных электродвигателей АИМ, ВА, АВ, ВАО2

Габарит ЭД	Число полюсов	Габаритные размеры					Установочные и присоединительные размеры, мм																		
		l30	l33	h31	d24	d30	b10	l10	l31	d1	d2	l1	l2	b1	b2	h5	h6	h1	h	h10	d10	d20	d25	l20	d22
		L	LC	HD	P	AC	A	B	C	D	DA	E	EA	F	FA	GA	GC	GD	H	HA	K	M	N	T	S
АИМ 63	2, 4, 6	275	---	214	160	---	100	80	40	14	---	30	---	5	---	16	---	5	63	5	7	130	110	3,5	10
АИМ 71	2, 4, 6	290	---	236	200	---	112	90	45	19	---	40	---	6	---	21,5	---	6	71	6	7	165	130	3,5	12
АИМ 80	2, 4, 6	350	---	247	200	---	125	100	50	22	---	50	---	6	---	24,5	---	6	80	6	10	165	130	3,5	12
АИМ 90	2, 4, 6	410	---	285	250	---	140	125	56	24	---	50	---	8	---	27	---	7	90	7	10	215	180	4	15
АИМ 100	2, 4, 6	425	---	305	250	---	160	140	63	28	---	60	---	8	---	31	---	7	100	7	12	215	180	4	15
АИМ 112	2, 4, 6	460	---	352	300	---	190	140	70	32	---	80	---	10	---	35	---	8	112	8	12	265	230	4	15
ВА 132 S	4, 6, 8	460	548	395	350	290	216	140	89	38	38	80	80	10	10	41	41	8	132	14	12	300	250	5	19
ВА 132 M	2, 4, 6, 8	498	586	395	350	290	216	178	89	38	38	80	80	10	10	41	41	8	132	14	12	300	250	5	19
ВА 160 S	2	710	832	490	350	340	254	178	108	42	42	110	110	12	12	45	45	8	160	20	15	300	250	5	19
	4, 6, 8	710	832	490	350	340	254	178	108	48	42	110	110	14	12	51,5	45	9	160	20	15	300	250	5	19
ВА 160 M	2	740	862	490	350	340	254	210	108	42	42	110	110	12	12	45	45	8	160	20	15	300	250	5	19
	4, 6, 8	740	862	490	350	340	254	210	108	48	42	110	110	14	12	51,5	45	9	160	20	15	300	250	5	19
ВА 180 S	2	690	805	525	400	380	279	203	121	48	48	110	110	14	14	52	52	9	180	22	15	350	300	5	19
	4	690	805	525	400	380	279	203	121	55	48	110	110	16	14	59	52	10	180	22	15	350	300	5	19
ВА 180 M	2	730	845	525	400	380	279	241	121	48	48	110	110	14	14	52	52	9	180	22	15	350	300	5	19
	4, 6, 8	730	845	525	400	380	279	241	121	55	48	110	110	16	14	59	52	10	180	22	15	350	300	5	19
ВА 200 M	2	765	880	560	450	410	318	267	133	55	55	110	110	16	16	59	59	10	200	28	19	400	350	5	19
	4, 6, 8	795	910	560	450	410	318	267	133	60	55	140	110	18	16	64	59	11	200	28	19	400	350	5	19
ВА 200 L	2	805	920	560	450	410	318	305	133	55	55	110	110	16	16	59	59	10	200	28	19	400	350	5	19
	4, 6, 8	835	950	560	450	410	318	305	133	60	55	140	110	18	16	64	59	11	200	28	19	400	350	5	19
ВА 225 M	2	840	955	610	550	445	356	311	149	55	55	110	110	16	16	59	59	10	225	30	19	500	450	5	19
	4, 6, 8	870	1015	610	550	445	356	311	149	65	60	140	140	18	18	69	64	11	225	30	19	500	450	5	19
ВА 250 S	2	990	1135	710	550	552	406	311	168	65	65	140	140	18	18	69	69	11	250	30	24	500	450	5	19
	4, 6, 8	990	1135	710	550	552	406	311	168	75	70	140	140	20	20	79,5	74,5	12	250	30	24	500	450	5	19

BA 250 M	2	990	1135	710	550	552	406	349	168	65	65	140	140	18	18	69	69	11	250	30	24	500	450	5	19
	4, 6, 8	990	1135	710	550	552	406	349	168	75	70	140	140	20	20	79,5	74,5	12	250	30	24	500	450	5	19
AB 250 S	2	1000	---	502,5	660	505	406	311	168	65	---	140	---	18	---	69	---	11	250	---	24	600	550	6	24
	4, 6, 8	1040	---	502,5	660	505	406	311	168	75	---	140	---	20	---	79,5	---	12	250	---	24	600	550	6	24
AB 250 M	2	1000	---	502,5	660	505	406	349	168	65	---	140	---	18	---	69	---	11	250	---	24	600	550	6	24
	4, 6, 8	1040	---	502,5	660	505	406	349	168	75	---	140	---	20	---	79,5	---	12	250	---	24	600	550	6	24
BA 280 S	2	1140	1285	780	660	625	457	368	190	70	65	140	140	20	18	74.5	69	12	280	30	24	600	550	6	24
	4, 6, 8	1170	1315	780	660	625	457	368	190	80	65	170	140	22	18	85	69	14	280	30	24	600	550	6	24
BA 280 M	2	1140	1285	780	660	625	457	419	190	70	65	140	140	20	18	74.5	69	12	280	30	24	600	550	6	24
	4, 6, 8	1170	1315	780	660	625	457	419	190	80	65	170	140	22	18	85	69	14	280	30	24	600	550	6	24
AB 280 S	2	1040	---	790	660	585	457	368	190	70	---	140	---	20	---	74.5	---	12	280	---	24	600	550	6	24
	4, 6, 8	1070	---	790	660	585	457	368	190	80	---	170	---	22	---	85	---	14	280	---	24	600	550	6	24
AB 280 M	2	1100	---	790	660	585	457	419	190	70	---	140	---	20	---	74.5	---	12	280	---	24	600	550	6	24
	4, 6, 8	1130	---	790	660	585	457	419	190	80	---	170	---	22	---	85	---	14	280	---	24	600	550	6	24
AB 280 L	2	1280	---	790	660	585	457	457	190	75	---	140	---	20	---	80	---	12	280	---	24	600	550	6	24
	4, 6, 8	1310	---	790	660	585	457	457	190	90	---	170	---	25	---	95	---	14	280	---	24	600	550	6	24
BAO2 280 S	2	1230	---	640	660	700	457	368	190	75	---	140	---	20	---	79,5	---	12	280	---	24	600	550	6	24
	4	1230	---	640	660	700	457	368	190	80	---	170	---	22	---	85	---	14	280	---	24	600	550	6	24
BAO2 280 M	2	1230	---	640	660	700	457	419	190	75	---	140	---	20	---	79,5	---	12	280	---	24	600	550	6	24
	4, 6, 8	1230	---	640	660	700	457	419	190	80	---	170	---	22	---	85	---	14	280	---	24	600	550	6	24
BAO2 280 L	2	1230	---	640	660	700	457	457	190	75	---	140	---	20	---	79,5	---	12	280	---	24	600	550	6	24
	4, 6, 8	1230	---	640	660	700	457	457	190	80	---	170	---	22	---	85	---	14	280	---	24	600	550	6	24
BAO2 315 M	2	1275	---	715	800	780	508	457	216	75	---	140	---	20	---	79,5	---	12	315	---	28	740	680	6	24
	4, 6, 8	1305	---	715	800	780	508	457	216	90	---	170	---	25	---	95	---	14	315	---	28	740	680	6	24
BAO2 315 L	2	1345	---	715	800	780	508	508	216	75	---	140	---	20	---	79,5	---	12	315	---	28	740	680	6	24
	4, 6, 8	1375	---	715	800	780	508	508	216	90	---	170	---	25	---	95	---	14	315	---	28	740	680	6	24

Примечание: Габаритные размеры l30, l33, h31, d30 и установочно-присоединительные размеры l11, l21, b11, h10 у разных производителей могут различаться. Более точно вышеуказанные размеры у каждого производителя можно найти в соответствующем каталоге продукции.